THE ANNALS OF APPLIED BIOLOGY

EDITED BY

R. W. MARSH

AND

I. THOMAS

WITH THE ASSISTANCE OF

F. C. BAWDEN
M. J. R. HEALY
J. T. MARTIN
E. A. PARKIN
B. G. PETERS
D. J. WATSON

VOLUME 54

CAMBRIDGE
AT THE UNIVERSITY PRESS
1964

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1
American Branch: 32 East 57th Street, New York N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge
(Brooke Crutchley, University Printer)

CONTENTS

No. 1 (August 1964)

PAGE

1. A form of pea early-browning virus found in Britain. By A. J. Gibbs and B. D. Harrison. (With Plate) 1

2. The use of insecticides to find when leaf roll and Y viruses spread within potato crops. By P. E. Burt, G. D. Heathcote and L. Broadbent . 13

3. The epidemiology of tomato mosaic. V. The effect on TMV-infected plants of nutrient foliar sprays and of steaming the soil. By L. Broadbent and G. W. Winsor 23

4. The epidemiology of tomato mosaic. VI. The influence of tomato mosaic virus on root growth and the annual pattern of fruit production. By L. Broadbent and A. J. Cooper 31

5. Studies on the lettuce big-vein virus and its vector *Olpidium brassicae* (Wor.) Dang. By J. A. Tomlinson and R. G. Garrett. (With Plates 1 and 2) 45

6. Studies on parsnip canker. III. The effect of sowing date and spacing on canker development. By A. G. Channon 63

7. A quantitative laboratory method for inoculating cabbage seedlings with *Plasmodiophora brassicae* Woron. By A. G. Channon, Anne E. Flint and R. A. L. Hinton 71

8. Studies on sharp eyespot disease of cereals. I. Disease symptoms and pathogenicity of isolates of *Rhizoctonia solani* Kühn and the influence of soil factors and temperature on disease development. By D. Pitt . . . 77

9. The influence of seedling competition on the amount of loose smut (*Ustilago nuda* (Jens.) Rostr.) appearing in barley crops. By D. A. Doling . 91

10. Hypersensitivity of monogenic resistant tomato scions to toxins produced in Bonny Best rootstocks invaded by *Fusarium oxysporum* f. *lycopersici*. By W. G. Keyworth 99

11. 'Lyamungu dieback' of arabica coffee in Tanganyika. II. Relation of starch reserves to Lyamungu dieback. By D. A. Burdekin and R. M. Baker 107

12. Investigations on fungicides. XI. The antifungal activity of some derivatives of dithiocarbamic acid. By G. A. Carter, J. L. Garraway, D. M. Spencer and R. L. Wain 115

13. Investigations on the use of dichlorvos in the control of the mushroom phorid, *Megaselia halterata* (Wood). By N. W. Hussey and J. T. Hughes . 129

14. The life history and behaviour of the willow weevil *Cryptorrhynchus lapathi* L. By B. D. Smith and K. G. Stott 141

No. 2 (October 1964)

PAGE

1. Carrot motley dwarf and parsnip mottle viruses. By Marion Watson, E. P. Serjeant and Elizabeth A. Lennon 153

2. Strawberry latent ringspot: a new nematode-borne virus. By R. M. Lister 167

3. The effects of black-currant yellows virus and a strain of reversion virus on yield. By R. Cropley, A. F. Posnette and J. M. Thresh . . . 177

4. Studies on a strain of raspberry ringspot virus occurring in England. By E. A. Debrot 183

5. Studies on the physiology of cocoa (*Threobroma cacao* L.). I. Suppression of swollen-shoot virus symptoms by light. By E. J. A. Asomaning and R. G. Lockard 193

6. The effect of planting date and spacing on the incidence of groundnut rosette disease and of the vector, *Aphis craccivora* Koch, at Mokwa, Northern Nigeria. By John A'Brook 199

7. The epidemiology of tomato mosaic. VII. The effect of TMV on tomato fruit yield and quality under glass. By L. Broadbent . . . 209

8. Factors influencing seedling infection of barley by *Ustilago nuda* (Jens.) Rostr. By T. Kavanagh 225

9. Studies on sharp eyespot disease of cereals. II. Viability of sclerotia: persistence of the causal fungus, *Rhizoctonia solani* Kühn. By D. Pitt . . 231

10. Organophosphorus and carbamate insecticides as soil treatments for the control of wireworms. By D. C. Griffiths and R. Bardner . . . 241

11. Natural mortality of eggs of the black bean aphid, *Aphis fabae* Scop., on the spindle tree, *Euonymus europaeus* L. By M. J. Way and C. J. Banks . 255

12. The effect of potassium chloride on the infestation of sugar beet by beet eelworm, *Heterodera schachtii* Schmidt. By Godfrey J. Curtis . . 269

13. Determination of leaf area by rating in comparison with geometric shapes. By E. C. Humphries and S. A. W. French 281

Laws of the Association of Applied Biologists 285

Reviews 289

No. 3 (December 1964)

1. Powdery mildew of tobacco (*Erysiphe cichoracearum* DC.). I. Effects of nitrogen, phosphorus and potassium on susceptibility, growth and chemical composition of infected and healthy tobacco grown in water culture. By J. S. Cole 291

2. Purple blotch (*Alternaria porri*) of onion in Kenya. By K. R. Bock . 303

3. Studies on *Septoria* on celery seed. By R. B. Maude. (With Plate) . 313

PAGE

4. The effect of the composition of the storage atmosphere on the development of rotting of Cox's Orange Pippin apples and the production of pectolytic enzymes by *Gloeosporium* spp. By K. L. Edney 327

5. Studies on the ageing of copper fungicides used to control coffee leaf rust. By P. O. Park and D. A. Burdekin 335

6. Methods of reducing variability in the results of glass-slide spore-germination assays of fungitoxicity. By E. L. Frick. (With Plate) . . 349

7. Factors in testing fungicides against powdery mildews. I. A slide spore-germination method of evaluating protectant fungicides. By C. Zaracovitis. (With 2 Plates) 361

8. Ecological characteristics of nematode-trapping Hyphomycetes. II. Germination of conidia in soil. By R. C. Cooke 375

9. The effect of high temperatures on aqueous suspensions of stem eelworm, *Ditylenchus dipsaci* (Kühn) Filipjev. By C. D. Green 381

10. The effects of D-D treatments applied during a five-course rotation on the soil population of *Heterodera rostochiensis* Woll. By C. C. Doncaster 391

11. Growth of *Picea sitchensis* in old forest nurseries. By M. A. Ram Reddy, G. A. Salt and F. T. Last. (With Plate) 397

12. The toxicity of some insecticides to first-instar nymphs of the desert locust, *Schistocerca gregaria* (Forsk.). By R. D. MacCuaig and Maureen N. D. B. Yeates 415

13. Observations on the effects of chlorine on the larvae of oysters (*Ostrea edulis* (L.)) and barnacles (*Elminius modestus* (Darwin)). By G. D. Waugh . 423

14. The uncoupling of oxidative phosphorylation in pea shoot mitochondria by 3,5-diido-4-hydroxybenzonitrile (ioxynil) and related compounds. By W. M. Kerr and R. L. Wain 441

15. Inhibition of the ferricyanide-Hill reaction of isolated bean leaf chloroplasts by 3,5-diido-4-hydroxybenzonitrile (ioxynil) and related compounds. By W. M. Kerr and R. L. Wain 447

INDEX OF AUTHORS

PAGE

A'Brook, John. The effect of planting date and spacing on the incidence of groundnut rosette disease and of the vector, *Aphis craccivora* Koch, at Mokwa, Northern Nigeria . . 199

Asomaning, E. J. A. and Lockard, R. G. Studies on the physiology of cocoa (*Theobroma cacao* L.). I. Suppression of swollen-shoot virus symptoms by light 193

Baker, R. M. *See* Burdekin, D. A. 107

Banks, C. J. *See* Way, M. J. 255

Bardner, R. *See* Griffiths, D. C. 241

Bock, K. R. Purple blotch (*Alternaria porri*) of onion in Kenya 303

Broadbent, L. The epidemiology of tomato mosaic. VII. The effect of TMV on tomato fruit yield and quality under glass 209

Broadbent, L. and Cooper, A. J. The epidemiology of tomato mosaic. VI. The influence of tomato mosaic virus in root growth and the annual pattern of fruit production . . 31

Broadbent, L. and Winsor, G. W. The epidemiology of tomato mosaic. V. The effect on TMV-infected plants of nutrient foliar sprays and of steaming the soil 23

Broadbent, L. *See* Burt, P. E. *et al.* 13

Burdekin, D. A. and Baker, R. M. 'Lyamungu dieback' of arabica coffee in Tanganyika. II. Relation of starch reserves to Lyamungu dieback. 107

Burdekin, D. A. *See* Park, P. O. 335

Burt, P. E., Heathcote, G. D. and Broadbent, L. The use of insecticides to find when leaf roll and Y viruses spread within potato crops 13

Carter, G. A., Garraway, J. L., Spencer, D. M. and Wain, R. L. Investigations on fungicides. XI. The antifungal activity of some derivatives of dithiocarbamic acid 115

Channon, A. G. Studies on parsnip canker. III. The effect of sowing date and spacing on canker development 63

Channon, A. G., Flint, Anne E. and Hinton, R. A. L. A quantitative laboratory method for inoculating cabbage seedlings with *Plasmodiophora brassicae* Woron. 71

Cole, J. S. Powdery mildew of tobacco (*Erysiphe cichoracearum* DC.). I. Effects of nitrogen, phosphorus and potassium on susceptibility, growth and chemical composition of infected and healthy tobacco grown in water culture 291

Cooke, Roderic C. Ecological characteristics of nematode-trapping Hyphomycetes. II. Germination of conidia in soil 375

Cooper, A. J. *See* Broadbent, L. 31

Cropley, R., Posnette, A. F. and Thresh, J. M. The effects of black-currant yellows virus and a strain of reversion virus on yield 177

Curtis, Godfrey J. The effect of potassium chloride on the infestation of sugar beet by beet eelworm, *Heterodera schachtii* Schmidt 269

Debrot, E. Studies on a strain of raspberry ringspot virus occurring in England . . . 183

Doling, D. A. The influence of seedling competition on the amount of loose smut (*Ustilago nuda* (Jens.) Rostr.) appearing in barley crops 91

Doncaster, C. C. The effects of D-D treatments applied during a five-course rotation on the soil population of *Heterodera rostochiensis* Woll. 391

PAGE

EDNEY, K. L. The effect of the composition of the storage atmosphere on the development of rotting of Cox's Orange Pippin apples and the production of pectolytic enzymes by *Gloeosporium* spp. 327

FLINT, ANNE E. *See* CHANNON, A. G. *et al.* 71

FRENCH, S. A. W. *See* HUMPHRIES, E. C. 281

FRICK, E. L. Methods of reducing variability in the results of glass-slide spore-germination assays of fungitoxicity 349

GARRAWAY, J. L. *See* CARTER, G. A. *et al.* 115

GARRETT, R. G. *See* TOMLINSON, J. A. 45

GIBBS, A. J. and HARRISON, B. D. A form of pea early-browning virus found in Britain . . 1

GREEN, C. D. The effect of high temperatures on aqueous suspensions of stem eelworm, *Ditylenchus dipsaci* (Kühn) Filipjev 381

GRIFFITHS, D. C. and BARDNER, R. Organophosphorus and carbamate insecticides as soil treatments for the control of eelworms 241

HARRISON, B. D. *See* GIBBS, A. J. 1

HEATHCOTE, G. D. *See* BURT, P. E. *et al.* 13

HINTON, R. A. L. *See* CHANNON, A. G. *et al.* 71

HUGHES, J. T. *See* HUSSEY, N. W. 129

HUMPHRIES, E. C. and FRENCH, S. A. W. Determination of leaf area by rating in comparison with geometric shapes 281

HUSSEY, N. W. and HUGHES, J. T. Investigations on the use of dichlorvos in the control of the mushroom phorid, *Megaselia halterata* (Wood) 129

KAVANAGH, T. Factors influencing seedling infection of barley by *Ustilago nuda* (Jens.) Rostr. 225

KERR, W. M. and WAIN, R. L. The uncoupling of oxidative phosphorylation in pea shoot mitochondria by 3,5-diiodo-4-hydroxybenzonitrile (ioxynil) and related compounds . . 441

KERR, W. M. and WAIN, R. L. Inhibition of the ferricyanide-Hill reaction of isolated bean leaf chloroplasts by 3,5-diiodo-4-hydroxybenzonitrile (ioxynil) and related compounds . . 447

KEYWORTH, W. G. Hypersensitivity of monogenic resistant tomato scions to toxins produced in Bonny Best rootstocks invaded by *Fusarium oxysporum* f. *lycopersici* 99

LAST, F. T. *See* RAM REDDY, M.A. *et al.* 397

LENNON, ELIZABETH A. *See* WATSON, MARION *et al.* 153

LISTER, R. M. Strawberry latent ringspot: a new nematode-borne virus 167

LOCKARD, R. G. *See* ASOMANING, E. J. A. 193

MACCUAIG, R. D. and YATES, MAUREEN N. D. B. The toxicity of some insecticides to first-instar nymphs of the desert locust, *Schistocerca gregaria* (Forsk.) 415

MAUDE, R. B. Studies on *Septoria* on celery seed 313

PARK, P. O. and BURDEKIN, D. A. Studies on the ageing of copper fungicides used to control coffee leaf rust 335

PITT, D. Studies on sharp eyeshot of cereals:
I. Disease symptoms and pathogenicity of isolates of *Rhizoctonia solani* Kühn and the influence of soil factors and temperature on disease development 77
II. Viability of sclerotia: persistence of the causal fungus, *Rhizoctonia solani* Kühn . 231

PAGE

POSNETTE, A. F. *See* CROPLEY, R. *et al.* 177

RAM REDDY, M. A., SALT, G. A. and LAST, F. T. Growth of *Picea sitchensis* in old forest nurseries 397

SALT, G. A. *See* RAM REDDY, M. A., *et al.* 397

SERJEANT, E. P. *See* WATSON, MARION *et al.* 153

SMITH, B. D. and STOTT, K. G. The life history and behaviour of the willow weevil *Cryptorrynchus lapathi* L. 141

SPENCER, D. M. *See* CARTER, G. A. *et al.* 115

STOTT, K. G. *See* SMITH, B. D. 141

THRESH, J. M. *See* CROPLEY, R *et al.* 177

TOMLINSON, J. A. and GARRETT, R. G. Studies on the lettuce big-vein disease and its vector *Olpidium brassicae* (Wor.) Dang. 45

WAIN, R. L. *See* CARTER, G. A. *et al.* 115

WAIN, R. L. *See* KERR, W. M. 441, 447

WATSON, MARION, SERJEANT, E. P. and LENNON, ELIZABETH A. Carrot motley dwarf and parsnip mottle viruses 153

WAUGH, G. DUNCAN. Observations on the effects of chlorine on the larvae of oysters (*Ostrea edulis* (L.)) and barnacles (*Elminius modestus* (Darwin)) 423

WAY, M. J. and BANKS, C. J. Natural mortality of eggs of the black bean aphid, *Aphis fabae* Scop., on the spindle tree, *Euonymus europaeus* L. 255

WINSOR, G. W. *See* BROADBENT, L. 23

YEATES, MAUREEN N. D. B. *See* MACCUAIG, R. D. 415

ZARACOVITIS, C. Factors in testing fungicides against powdery mildews. I. A slide spore-germination method of evaluating protectant fungicides 361